		*		
L Number	Hits	Search Text	DB	Time stamp
-	3980887	classified (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:04
-	167939	classified (data or information or file) same unclassified	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:05
-	12	(classified adj (data or information or file) with (encrypt\$3 or encod\$3 or encipher\$3)) same unclassified	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:16
-	3986	(encrypt\$3 or encod\$3 or encipher\$3) and threat	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:17
_	29	(encrypt\$3 or encod\$3 or encipher\$3) and threat with (los\$3) with (information or data or file)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:25
-	4	<pre>(encrypt\$3 or encod\$3 or encipher\$3) and ( threat\$5 or danger\$4) same ((delet\$3 or eras\$3 or destroy\$3 ) with ( key)) same (memory or RAM)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25
-	6	<pre>(encrypt\$3 or encod\$3 or encipher\$3) and ( threat\$5 or danger\$4) same ((delet\$3 or eras\$3 or destroy\$3 overwrit\$3) with ( key)) same (memory or RAM)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:35
-	5	<pre>(encrypt\$3 or encod\$3 or encipher\$3) near (data or information or file) and ( threat\$5 or danger\$4) same ((delet\$3 or eras\$3 or destroy\$3 overwrit\$3) with ( key)) same (memory or RAM)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25
-	149	((compromis\$3 or recover\$3 ) with user with (key)) and (key with (volatile or ram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:55
_	6	<pre>((compromis\$3 or recover\$3 ) with ((cannot) or "not") with user with ( key)) and (key with (volatile or ram))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:58
-	2241745	helicopter or aircraft or vehicle or transport or airplane or ship	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:59
-	19713	(helicopter or aircraft or vehicle or transport or airplane or ship) and (encrypt\$3 or encod\$3 or encipher\$3) near (data or information or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:59
-	8780	(helicopter or aircraft or vehicle or airplane or ship) and (encrypt\$3 or encod\$3 or encipher\$3) near (data or information or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 13:02
-	2177	(helicopter or aircraft or vehicle or airplane or ship) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25

Search History 3/26/04 9:16:46 PM Page 1

í				
_	1106	(helicopter or aircraft or vehicle or	USPAT;	2004/03/25
		airplane or ship jet flight) and	US-PGPUB;	17:49
		((encrypt\$3 or encod\$3 or encipher\$3	EPO; JPO;	
		protect\$3 or secur\$3) near (data or	DERWENT;	
		information or file)) and (mission or	IBM_TDB	
		project) and (helicopter or flight or		
		airplane or jet)		
1 _	224	(helicopter or aircraft or vehicle or	USPAT;	2004/03/25
	223	airplane or ship jet flight) and	US-PGPUB;	13:13
			EPO; JPO;	13.13
	-	((encrypt\$3 or encod\$3 or encipher\$3		
		protect\$3 or secur\$3) near (data or	DERWENT;	
		information or file)) and (mission or	IBM_TDB	
		project) and (helicopter or flight or		
		airplane or jet) and ((key or code) same		
		(volatile or ram or tamper\$3))		
-	100	(helicopter or aircraft or vehicle or	USPAT;	2004/03/25
	ļ	airplane or ship jet flight) and	US-PGPUB;	13:19
		((encrypt\$3 or encod\$3 or encipher\$3	EPO; JPO;	
		protect\$3 or secur\$3) near (data or	DERWENT;	
1		information or file)) and (mission or	IBM TDB	
		project) and (helicopter or flight or	_	
		airplane or jet) and ((key or code) same		
		(volatile or ram or tamper\$3)) and		
		((portable or mobile ) with (computer\$4		
ļ		or device))		
_	40		USPAT;	2004/03/25
	40	airplane or ship jet flight) and	US-PGPUB;	13:28
			EPO; JPO;	13.20
		((encrypt\$3 or encod\$3 or encipher\$3		
		protect\$3 or secur\$3) near (data or	DERWENT;	
		information or file)) and (mission or	IBM_TDB	
		project) and (helicopter or flight or		
	1	airplane or jet) and ((key or code) same		
		(volatile or ram or tamper\$3)) and		
İ		((portable or mobile ) with (computer\$4		
	1	or device)) and ((deny\$4 or prevent\$4 or		1
		protect\$4 or secur\$4) with (access\$3)		
		with (information or data or file) )		
_	118	(helicopter or aircraft or vehicle or	USPAT;	2004/03/25
		airplane or ship jet flight) and	US-PGPUB;	13:37
		((encrypt\$3 or encod\$3 or encipher\$3	EPO; JPO;	
		protect\$3 or secur\$3) near (data or	DERWENT;	
		information or file)) and (helicopter or	IBM TDB	
		flight or airplane or jet) and ((key or		
		code) same (volatile or ram or tamper\$3))		
		and ((portable or mobile ) with		1
		(computer\$4 or device)) and ((deny\$4 or	j	
		prevent\$4 or protect\$4 or secur\$4) with		
		(access\$3) with (information or data or		1
		1, , , , , , , , , , , , , , , , , , ,		
	100	file) )	IICDATE.	2004/03/25
-	121	1 '	USPAT;	1 ' '
		airplane or ship jet flight) and	US-PGPUB;	13:39
1		((encrypt\$3 or encod\$3 or encipher\$3	EPO; JPO;	
		protect\$3 or secur\$3) near (data or	DERWENT;	1
		information or file)) and (helicopter or	IBM_TDB	
		flight or airplane or jet) and ((key or	1	1
		code) same (volatile or ram or tamper\$3))	1	1
		and ((portable or mobile ) with	[	
		(computer\$4 or device)) and ((deny\$4 or	1	
		prevent\$4 or protect\$4 or secur\$4) with		
1		(access\$3 compromis\$3) with (information	,	
		or data or file) )		1
L	<del></del>	<u></u>		

-	121	(helicopter or aircraft or vehicle or	USPAT;	2004/03/25
		airplane or ship jet flight military army	US-PGPUB;	13:40
		navy ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near	EPO; JPO; DERWENT;	
		(data or information or file)) and	IBM TDB	
	1	(helicopter or flight or airplane or jet)	15155	
		and ((key or code) same (volatile or ram		
		or tamper\$3)) and ((portable or mobile)		
		with (computer\$4 or device)) and ((deny\$4		
		or prevent\$4 or protect\$4 or secur\$4)		
		with (access\$3 compromis\$3) with		
	152	(information or data or file) ) (helicopter or aircraft or vehicle or	IICDAM.	2004/03/25
-	152	airplane or ship jet flight military army	USPAT; US-PGPUB;	13:40
		navy ) and ((encrypt\$3 or encod\$3 or	EPO; JPO;	15.40
		encipher\$3 protect\$3 or secur\$3) near	DERWENT;	
		(data or information or file)) and	IBM TDB	
		(helicopter or flight or airplane or jet)	_	1
		and ((key or code) same (volatile or ram		
1		or tamper\$3)) and ((portable or mobile)		
		with (computer\$4 or device)) and ((deny\$4		
	1	or prevent\$4 or protect\$4 or secur\$4)		
		with (access\$3 compromis\$3 read\$3) with (information or data or file)		
-	152	((encrypt\$3 or encod\$3 or encipher\$3	USPAT;	2004/03/25
		protect\$3 or secur\$3) near (data or	US-PGPUB;	13:42
		information or file)) and (helicopter or	EPO; JPO;	
i		flight or airplane or jet) and ((key or	DERWENT;	
1		code) same (volatile or ram or tamper\$3))	IBM_TDB	
		and ((portable or mobile ) with		
		(computer\$4 or device)) and ((deny\$4 or		
-		prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with		
		(information or data or file)		
_	1285	((encrypt\$3 or encod\$3 or encipher\$3	USPAT;	2004/03/25
		protect\$3 or secur\$3) near (data or	US-PGPUB;	13:46
	İ	information or file)) and ((key or	EPO; JPO;	
		code) same (volatile or ram or tamper\$3))	DERWENT;	
		and ((portable or mobile ) with	IBM_TDB	
		(computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with		
1		(access\$3 compromis\$3 read\$3) with		
		(information or data or file)		
-	283166	(encrypt\$3 or encod\$3 or encipher\$3) and	USPAT;	2004/03/25
		((delet\$3 or eras\$3 or destroy\$3	US-PGPUB;	13:46
		destruct\$4 ) with ( key information code	EPO; JPO;	
		data) witih (selectively or select\$4))	DERWENT; IBM TDB	
_	3117	(encrypt\$3 or encod\$3 or encipher\$3) and	USPAT;	2004/03/25
	311/	((delet\$3 or eras\$3 or destroy\$3	US-PGPUB;	14:57
		destruct\$4 ) with ( key information code	EPO; JPO;	
		data) with (selectively or select\$4))	DERWENT;	
			IBM_TDB	
-	2653	((encrypt\$3 or encod\$3 or encipher\$3	USPAT;	2004/03/25
		protect\$3 or secur\$3 classified) near	US-PGPUB;	15:01
		(data or information or file key)) and ((key or code information or data) same	EPO; JPO; DERWENT;	
		((key or code information of data) same (volatile or ram or tamper\$3)) and	IBM TDB	
	'	((portable or mobile ) with (computer\$4	12.1_100	
		or device)) and ((deny\$4 or prevent\$4 or		
		protect\$4 or secur\$4) with (access\$3	1	
		compromis\$3 read\$3) with (information or		
	<u> </u>	data or file) )		

Page 3

112	( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with (key information code data) with (selectively or select\$4)) ) and ( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:02
56	secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) )) (( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4)) ) and ( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:03
7977	information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) ))) and @ad<20001029 (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3	USPAT; US-PGPUB;	2004/03/25 15:00
9352	destruct\$4 extract\$4) with (key information code data) with (selectively or select\$4 logical\$3)) ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 15:16
27	)) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with (information or data or file) )	IISDAT	2004/03/25
735	( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash)) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (acces\$\$3 compromis\$3 read\$3) with (information or data or file) )) and ((encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	15:09 2004/03/25 15:17
	7977 9352	and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with (key information code data) with (selectively or select\$4)) and (((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) ))  56 ((encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with (key information code data) with (selectively or select\$4)) and ((encrypt\$3 or encod\$3 or encipher\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile) with (computer\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file))) and @ad<20001029  7977 (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information or data or file))) and @ad<20001029  (encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$4 logical\$3))  ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$4 logical\$3))  ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$4 or protect\$4 or secur\$4 extract\$4) with (selectively or select\$4 logical\$3))  ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$4 extract\$4 or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash)) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with (information or data) same (volatile or ram or tamper\$3 flash)) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 refus\$3 declin\$4 denial) with (selectively) (pda) card) and ((deny\$4 or prevent\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$	and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4) with (key information code data) with (selectively or select\$4)) and (((encrypt\$3 or encod\$3 or encipher\$3) and ((encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$4)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile) with (access\$3 compromis\$3 read\$3) with (information or data or file))  56 (((encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4) with (key information or file))) and (((encrypt\$3 or encod\$3 or encipher\$3) classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key or code information or data or file))) and (access\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key or code information or data or file))) and (access\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key) and ((key or code information or file key)) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or prevent\$4 or protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash)) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and (deny\$4 or prevent\$4 or protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and (key or code information or data or file)) same (volatile or ram or tamper\$3 flash)) and ((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and (delet\$3 or encipher\$3 or encod\$3 or encipher\$3 or encod\$3 or encipher\$3 or encod\$3 or encipher\$3 or encod\$3 or enciph

	_		
- 30120243	(( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash)) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (acces\$3 compromis\$3 read\$3) with (information or data or file) )) and ( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (selectively or select\$4 logical\$3))) not ((( encrypt\$3 or encipher\$3) and ( (delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with (key information code data) with (selectively or select\$4)) and ((encrypt\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with (key information code data) with (selectively or select\$4)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile) with (computer\$4 or device)) and ((den\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) )) and @ad<20001029) ((( (encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash)) and (((oprtable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or prevent\$4 or encipher\$3 or encod\$3 or encipher\$3 or encod\$3 or encipher\$3 or encod\$3 or encipher\$3 and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 logical\$3))) not ((( encrypt\$3 or encod\$3 or encipher\$3 or encod\$3 o	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:17

r				
-	281	((( ((encrypt\$3 or encod\$3 or encipher\$3	USPAT;	2004/03/25
		protect\$4 or secur\$3 classif\$5 sensitive)	US-PGPUB;	17:32
		near (data or information or file key))	EPO; JPO;	
		and ((key or code information or data)	DERWENT;	
	İ	same (volatile or ram or tamper\$3 flash	IBM TDB	
		)) and (((portable or mobile memory chip	10100	
		ic) with (computer\$4 or device)) (pda)		
		card) and ((deny\$4 or prevent\$4 or		
		protect\$4 or secur\$4 restrict\$4 refus\$3		
		declin\$4 denial) with (access\$3		
		compromis\$3 read\$3) with (information or		
		data or file) )) and ( (encrypt\$3 or		
		encod\$3 or encipher\$3) and ((delet\$3 or	•	
		eras\$3 or destroy\$3 destruct\$4 extract\$4)		
		with ( key information code data) with		
		(selectively or select\$4 logical\$3)) ))		
		not ((( (encrypt\$3 or encod\$3 or		
		encipher\$3) and ((delet\$3 or eras\$3 or		
		destroy\$3 destruct\$4 ) with ( key		
		information code data) with (selectively		
		or select\$4)) ) and ( ((encrypt\$3 or		
		encod\$3 or encipher\$3 protect\$3 or		
		secur\$3 classified) near (data or		
	!	information or file key)) and ((key or		
		code information or data) same (volatile		
		or ram or tamper\$3)) and ((portable or		
		mobile ) with (computer\$4 or device)) and		
		((deny\$4 or prevent\$4 or protect\$4 or		
		secur\$4) with (access\$3 compromis\$3		
		read\$3) with (information or data or		
Ī		file) ))) and @ad<20001029)) and		
		@ad<20001029		
1_	1240	((deny\$4 or prevent\$4 or protect\$4 or	USPAT;	2004/03/25
	1240	secur\$4 restrict\$4 refus\$3 declin\$4	US-PGPUB;	18:24
	į.	denial) with (access\$3 compromis\$3	EPO; JPO;	10.24
		read\$3) with ((information or data or	DERWENT;	
		file) or (portable or mobile memory chip	IBM_TDB	
		ic computer\$4 or device (pda) card		
		pdl))) and ((delet\$3 or eras\$3 or		
		destroy\$3 destruct\$4 extract\$4) with (		
		key information code data) ) and	ŀ	
		((overwrit\$4) with (key information		
		code data) ) and ((encrypt\$3 or encod\$3		
		or encipher\$3 protect\$3 or secur\$3		
		classified) with (data or information or		
1		file key device portable or mobile memory		
1		chip ic computer\$4 or device (pda) card))		
		and @ad<20001029	1	
-	11976		USPAT;	2004/03/25
	1	airplane or ship jet flight) and	US-PGPUB;	18:24
		((encrypt\$3 or encod\$3 or encipher\$3	EPO; JPO;	
	1	protect\$3 or secur\$3) near (data or	DERWENT;	
		information or file)) and (mission or	IBM_TDB	
		project operation)	1	1

•				
_	182	( ((deny\$4 or prevent\$4 or protect\$4 or	USPAT;	2004/03/25
		secur\$4 restrict\$4 refus\$3 declin\$4	US-PGPUB;	17:49
		denial) with (access\$3 compromis\$3	EPO; JPO;	- / · · · ·
		read\$3) with ((information or data or	DERWENT;	
		file) or (portable or mobile memory chip	IBM TDB	
	Ì	ic computer\$4 or device (pda) card	1511_155	
ŀ		pdl))) and ((delet\$3 or eras\$3 or		
		destroy\$3 destruct\$4 extract\$4) with (		
ļ		key information code data) ) and		
		((overwrit\$4) with (key information		
1	1	code data) ) and ((encrypt\$3 or encod\$3		
		or encipher\$3 protect\$3 or secur\$3		
		classified) with (data or information or		
		file key device portable or mobile memory		
		chip ic computer\$4 or device (pda) card))		
		and @ad<20001029) and ((helicopter or		
		aircraft or vehicle or airplane or ship		
	İ	jet flight) and ((encrypt\$3 or encod\$3 or		
		encipher\$3 protect\$3 or secur\$3) near		
		(data or information or file)) and		
1		(mission or project operation) )		
-	2177	(helicopter or aircraft or vehicle or	USPAT;	2004/03/25
		airplane or ship jet flight) and	US-PGPUB;	17:51
		((encrypt\$3 or encod\$3 or encipher\$3	EPO; JPO;	
		protect\$3 or secur\$3) near (data or	DERWENT;	
		information or file)) and ((mission or	IBM TDB	
		project operation) with (location or		
j		territory or geographic))		
_	94	(( ((deny\$4 or prevent\$4 or protect\$4 or	USPAT;	2004/03/25
		secur\$4 restrict\$4 refus\$3 declin\$4	US-PGPUB;	17:57
	}	denial) with (access\$3 compromis\$3	EPO; JPO;	
		read\$3) with ((information or data or	DERWENT;	
		file) or (portable or mobile memory chip	IBM TDB	
		ic computer\$4 or device (pda) card		
		pdl))) and ((delet\$3 or eras\$3 or		
		destroy\$3 destruct\$4 extract\$4) with (		
		key information code data) ) and		
		((overwrit\$4 ) with (key information		
1		code data) ) and ((encrypt\$3 or encod\$3		
		or encipher\$3 protect\$3 or secur\$3		
		classified) with (data or information or		
		file key device portable or mobile memory		
		chip ic computer\$4 or device (pda) card))		
		and @ad<20001029) and ((helicopter or		
		aircraft or vehicle or airplane or ship		
		jet flight) and ((encrypt\$3 or encod\$3 or		
		encipher\$3 protect\$3 or secur\$3) near	· ·	
		(data or information or file)) and		
		(mission or project operation) )) and		
1		((helicopter or aircraft or vehicle or		
		airplane or ship jet flight) and		
	1	((encrypt\$3 or encod\$3 or encipher\$3		
		protect\$3 or secur\$3) near (data or		
		information or file)) and ((mission or		
		project operation) with (location or		
		territory or geographic)))		
L		certicory or geographic ///		L

97	( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) ) and ((overwrit\$4) with (key information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:59
- 138	code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card)) and @ad<20001029) and (location or territory) (( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4	USPAT; US-PGPUB;	2004/03/25 17:59
	denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card)) and @ad<20001029) and (location or territory)) and (government or military)	EPO; JPO; DERWENT; IBM_TDB	
- 40 - 442		USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:17 2004/03/25 18:34

214 (((deny\$4 or prevent\$4 or protect\$4 or USPAT; 2004/03/25 leans) with (access\$3 compromis\$5 leans or read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (acre or territory perimeter location) ) and ((overwrit\$4 ) with (key information code data) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad -2 20 ((deny\$4 or prevent\$4 extract\$4) with (key information code data) ) and ((overwrit\$4 ) with (key information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad -2 21 (deny\$4 restrict\$4 extract\$4) with (USPAT; USPAT;	•				
denial) with (access\$3 compromis\$3	_	214	( ((deny\$4 or prevent\$4 or protect\$4 or	USPAT;	2004/03/25
read\$3 with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pda!)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) and ((oncryptis\$4 or device (pda) card pda!)) and ((dect\$7) are portable or mobile memory chip ic computer\$4 or device (pda) card pda!)  - 22 ((deny\$4 or device (pda) card) memory medium) and \$8ad<20001029) and (((overwrit\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)) and (((overwrit\$4) with (key information code data))) (((densypt\$3) with ((information or data or file memory chip ic computer\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl!)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) in and ((encrypt\$3 or enco3\$3 or encipher\$3 or eras\$3 or destroy\$3 or enco3\$3 or encipher\$3 or destroy\$3 or destroy\$3 or destroy\$3 or enco3\$3 or destroy\$3 or destroy\$3 destruct\$4 extract\$4 with (key information code data) in and ((encrypt\$3 or enco3\$3 or encypta or enco3\$3 or enco3\$3 or encypta or enco3\$3 or encypta or enco3\$3 or enco3\$3 or encypta or enco3\$3 or encypta or enco3\$3 or enco3\$3 or encypta or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 o			secur\$4 restrict\$4 refus\$3 declin\$4	US-PGPUB;	18:35
read\$3 with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pda!)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) and ((oncryptis\$4 or device (pda) card pda!)) and ((dect\$7) are portable or mobile memory chip ic computer\$4 or device (pda) card pda!)  - 22 ((deny\$4 or device (pda) card) memory medium) and \$8ad<20001029) and (((overwrit\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)) and (((overwrit\$4) with (key information code data))) (((densypt\$3) with ((information or data or file memory chip ic computer\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl!)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) in and ((encrypt\$3 or enco3\$3 or encipher\$3 or eras\$3 or destroy\$3 or enco3\$3 or encipher\$3 or destroy\$3 or destroy\$3 or destroy\$3 or enco3\$3 or destroy\$3 or destroy\$3 destruct\$4 extract\$4 with (key information code data) in and ((encrypt\$3 or enco3\$3 or encypta or enco3\$3 or enco3\$3 or encypta or enco3\$3 or encypta or enco3\$3 or enco3\$3 or encypta or enco3\$3 or encypta or enco3\$3 or enco3\$3 or encypta or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 or enco3\$3 o			denial) with (access\$3 compromis\$3	EPO; JPO;	
mobile memory chip ic computer\$4 or device (pda) card pdl)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) and ((oncrypti\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card memory medium) and \$8ad<20001029) and (((overwrit\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) and ((oncrypti\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card pdl) with (data or information or file key device portable or mobile memory with (data or information or file key device portable or mobile memory with (data or information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information code data)) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information code data)) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information or data)) (((load\$3 transfer\$4 or transmit\$4 install\$4) with (key information or data)) ((load\$3 transfer\$4 or transmit\$4 install\$4) with (key information or data))) ((load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4] with (key information or data))) ((load\$3 transfer\$4 or transmit\$4 install\$4] with (key information or data))) ((load\$3 transfer\$4 or transmit\$4 install\$4] with (key information or data))) ((load\$3 t			read\$3) with ((information or data or	DERWENT;	
device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) and ((overwrit\$4) with ( key information code data)) and ((encrypt\$3 or escur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((overwrit\$4) with ( key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data)) conded the computer\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (information or data or file memory medium) or (portable or mobile memory computer\$4 or device (pda) card pdl)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) and ((overwrit\$4) with ( key information code data) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory in the (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or deata))			file memory medium) or (portable or	IBM TDB	
device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) and ((overwrit\$4) with ( key information code data)) and ((encrypt\$3 or escur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((overwrit\$4) with ( key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data)) conded the computer\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (information or data or file memory medium) or (portable or mobile memory computer\$4 or device (pda) card pdl)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) and ((overwrit\$4) with ( key information code data) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or file key device portable or mobile memory in the (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or deata))	<b>!</b>	1	mobile memory chip ic computer\$4 or	_	
extract\$4) with (key information code data) with (area or territory perimeter location) and ((overwrit\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((overwrit\$4) with (key information code data)) same (delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)) compared to the computer\$4 or device (pda) card pdi) computer\$4 or mobile memory medium) or (portable or mobile memory medium) or (portable or mobile memory medium) or (portable or mobile memory device (pda) card pdi)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) and ((encrypt\$3 or ercas\$3 or destroy\$3 destruct\$4 extract\$4) with (key information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information code data)) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information or file key device portable or mobile memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information or file key device portable or mobile memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information or file key device portable or mobile memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key code) ) CERWENT; IBM_TDB (Callada)) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) CERWENT; IBM_TDB (Callada)) ((delet\$3 or eras\$3 or destroy\$3 or secur\$3 ercox\$3 or destroy\$3 ercox\$3			device (pda) card pdl))) and ((delet\$3		
data) with (area or territory perimeter location) and ((overwrit\$4) with (key information code data)) and (((encrypt\$3 or encod\$3 or encipher\$3) protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and ((overwrit\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)) same ((delet\$3 or eras\$3 or secur\$4 restrict\$4 refus\$3 declin\$4 US-FCPUB; terdinal) with (access\$3 compromis\$3 read\$3 with ((information or data or file memory chip ic computer\$4 or device (pda) card pd1))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (are or territory perimeter location) and ((overwrit\$4) with (key information code data) with (are or territory perimeter location) and ((overwrit\$4) with (key information code data) with (are or territory perimeter location) and ((overwrit\$4) with (key information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029 and ((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information or file key device portable or mobile memory with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (vey code) same (location) and (some part of the			or eras\$3 or destroy\$3 destruct\$4		
location)   and ((overwrits4) with (			extract\$4) with ( key information code		
key information code data)   and ((lencrypt\$3 or encot\$\$) are netipher\$3   protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and \$\( \frac{4}{6} \text{computer}\$4 or device (pda) card) memory destroy\$3 destruct\$4 extract\$4) with (key information code data) ) same (delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data))   (((deny\$4 or prevent\$4 or protect\$4 or secur\$4' restrict\$4' refus\$3 declin\$4' US-PGPUB; denial) with (access\$3 compromis\$3			data) with (area or territory perimeter		
((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and \$8ad   and \$8ad   ((overwrit\$4) with (key information code data))   3 same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))   (((delet\$4) or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (acces\$\$3 compromis\$3		Ì	location) ) and ((overwrit\$4) with (		
protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and 8ad<20001029) and (((overwrit\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4\) with (key information code data))  ( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3\) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4\) with (key information code data) with (area or territory perimeter location) and ((overwrit\$4\) with (key information code data)) and ((encryyt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4\) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4\) with (key information code data)))  (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4\) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 estruct\$4 extract\$4\) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4\) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 encod\$2 sensitive) near (information or data))))  (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4\) with (key code)) same (destruct\$4 extract\$4\) with ((key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  (((colet\$3 or eras\$3 or destroy\$3 encod\$2 sensitive) near (information or data)))  ((colet\$4 colet\$5 or eras\$3 or destroy\$3 encod\$2 sensitive) near (information or data)))			key information code data) ) and		
(data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((overwrit\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data))   ((inpy\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information code data)) and ((incon-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) ((incon-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$4 uspar (load\$3 transfer\$4 or transmit\$5 uspar (load\$3 transfer\$4 or transmit\$5 uspar (load\$3 transfer\$4 or transmit\$5 uspar (load\$3 transfer\$5 uspar (load		1	((encrypt\$3 or encod\$3 or encipher\$3		
portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and Gad<20001029) and (((overwrit\$4) with (key information code data)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  ( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) and ((overwrit\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<2001029) and ((lono-volatile or memory)) with (key information code data)) (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information or data))) (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) cor ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) cor ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) ((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$4 install\$4 with (load\$3 transfer\$4 or transmit\$5 install\$4 with (load\$3 transfer\$4 or			protect\$3 or secur\$3 classified) with		
computer\$4 or device (pda) card) memory medium) and dad <pre>and (((overwrit\$4 ) with ( key information code data) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data)))  22 (((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory or medium) and @ad</pre> - 306 (((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information code data)) )  - 1306 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information code data)))  - (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key information or destroy\$3 destruct\$4 extract\$4) with ( key information or destroy\$5			(data or information or file key device		
medium) and @ad<2001029) and (((overwrit\$4) with (key information code data) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  ( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) ) and ((overwrit\$4) with (key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (information code data)  (information code data)  (information code data))  (information code data))  (information code data))  (information information or destroy\$3 destruct\$4 extract\$4) with (information or destroy\$3 destruct\$4 extract\$4] with (information or destroy\$3 destruct\$4 extract\$4] with (information or destroy\$3 destruct\$4 extract\$4] with (information or destroy\$5 destroy\$5 destroy\$5 destroy\$5 destroy\$5 destroy\$5 destroy\$5 destroy\$5 de			portable or mobile memory chip ic		
<pre>(((overwrit\$4 ) with ( key information code data) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data))) 22 ( ((den\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (acces\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and add\$20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data))  - 1306 1306 1306 1307 1307 1308 1309 1309 1309 1309 1309 1309 1309 1309</pre>			computer\$4 or device (pda) card) memory		
code data) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  ( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @dac20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information code data))  - 1306 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 extract\$4) with (key information code data))  - 1306 (((lone-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information or data))))  - 1306 (((lone-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (sey code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$			medium) and @ad<20001029) and		
destroy\$3 destruct\$4 extract\$4) with ( key information code data))) ( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) ) and ((overwrit\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  - 1306 (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) DERWENT; lbM_TDB			(((overwrit\$4 ) with ( key information		
key information code data))  ( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) ) and ((overwrit\$4) with (key information code data) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @adc20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or (encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) ((lon-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or (encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (DERWENT; libM_TDB)  - 71 ((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) encored by the cored					
22 ( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location)) and ((overwrit\$4 ) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or memory hip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) ) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) DERWENT; lBM_TDB					
Secur\$4 restrict\$4 refus\$3 declin\$4   denial) with (acces\$3 compromis\$3   read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4   extract\$4) with (key information code data) with (area or territory perimeter location)) and ((overwrit\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3   protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and ((non-volatile or memory) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  - 1306 ((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) or (encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  - 71 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 uspar; Usp			1 <del>-</del>	]	
denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) ) and ((overwrit\$4) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data)))  1306 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  171 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 (load\$3 transfer\$4 or transmit\$54 (load\$3 transfer\$4 or transmit\$54 (load\$3 transfer\$4 or transmit\$54 (load\$3	-	22		1	l
read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) ) and ((overwrit\$4) with (key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key code)) cr ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 used by the code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 used by the code) ((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3 transfer\$4 or transmit\$4 used by the code) (load\$3		1		l '	18:40
file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location)) and ((overwrit\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card memory medium) and @da<20001029) and (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  1306  1306  1306  ((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71  (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  ((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 uspending or data)))  ((load\$3 transfer\$4 or transmit\$4 uspending or data)))  ((load\$3 transfer\$4 or transmit\$4 uspending or data)))  ((load\$3 transfer\$4 or transmit\$4 uspending or data)) per@EMENT;			· · · · · · · · · · · · · · · · · · ·		
mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) ) and ((overwrit\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  1306 (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) or ((elet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (delet\$3 or eras\$3 or destroy\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory)) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$3 transfer\$4 or transmit\$4 install\$4] with (load\$5] transfe				DERWENT;	
device (pda) card pdl)) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data) with (area or territory perimeter location) and ((overwrit\$4) with (key information code data)) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data)))  1306 (((non-volatile or memory) with (USPAT; US-PGPUB; las:44 extract\$4 extract\$4) with (key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory) with (USPAT; US-PGPUB; las:48 encod\$2 sensitive) near (information or data))))  (((non-volatile or memory) with (USPAT; US-PGPUB; las:48 encod\$2 sensitive) near (information or data))))  (((load\$3 transfer\$4 or transmit\$4 us-PGPUB; las:48 encod\$2 sensitive) near (information or data))))  (((load\$3 transfer\$4 or transmit\$4 us-PGPUB; las:48 encod\$2 sensitive) near (information or data))))  (((load\$3 transfer\$4 or transmit\$4 us-PGPUB; las:48 encod\$2 sensitive) near (information or data))))  (((load\$3 transfer\$4 or transmit\$4 us-PGPUB; las:48 encod\$2 sensitive) near (information or data)))]  (((load\$3 transfer\$4 or transmit\$4 us-PGPUB; las:48 encod\$2 sensitive) near (information or data)) DERWENT; las:48 encod\$2 sensitive) near (information or data)) DERWENT; las:48 encod\$2 sensitive) near (information or data)) DERWENT; las:48 encod\$2 sensitive) near (information or data)) DERWENT; las:48 encod\$2 sensitive) near (information or data) DERWENT; las:48 encod\$2 sensitive) near (information or data) DERWENT; las:48 encod\$2 sensitive) near (information or data) DERWENT; las:48 encod\$2 sensitive) near (information or data) DERWENT; las:48 encod\$2 encod\$3 or encod\$3 or encod\$3 or encod\$3 encod\$3 o				IBM_TDB	
or eras\$3 or destroy\$3 destruct\$4 extract\$4\) with (key information code data) with (area or territory perimeter location) \()\) and ((overwrit\$4\)) with (\() key information code data\) \()\) and ((encrypt\$3\) or encod\$3\) or encipher\$3 protect\$3\) or secur\$3\) classified) with (data\) or information or file key device portable or mobile memory chip ic computer\$4\) or device (pda) card) memory medium) and @ad<20001029\) and (((non-volatile\) or memory) with (load\$3\) transfer\$4\) or transmit\$4\ install\$4\) with (\( key \) code\) \()\) same ((delet\$3\) or eras\$3\) or destroy\$3\ destruct\$4\ extract\$4\) with (\( key \) information code data\))\) (((non-volatile\) or memory\) with (load\$3\) transfer\$4\ or transmit\$4\ install\$4\) with (key code\) \()\) same ((delet\$3\) or eras\$3\) or destroy\$3\ destruct\$4\ extract\$4\) with ((key code\)) or ((encrypt\$2\) encipher\$3\) or secur\$3\ enco\$2\ sensitive\) near (information or data)))) (((non-volatile\) or memory\) with (load\$3\) transfer\$4\ or transmit\$4\ install\$4\) with (key code\))  or ((encrypt\$2\) encipher\$3\ or secur\$3\ enco\$2\ sensitive\) near (information\) or data)))) (((non-volatile\) or memory\) with (load\$3\) transfer\$4\ or transmit\$4\ install\$4\) with (key code\))  ParwEMT;  10S-PGPUB; 10S-PGPU					
extract\$4) with (key information code data) with (area or territory perimeter location) ) and ((overwrit\$4 ) with (key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information code data)) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key information code data)) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las44 us-pgpuB; load\$3)) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las48 las4)) ((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las48 las4) (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las48 las4) (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las48 las4) (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las48 las4) las4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las48 las4) las4) with (key code) ) same (load\$3 transfer\$4 or transmit\$4 us-pgpuB; las48 las4) la					
data) with (area or territory perimeter location) ) and ((overwrit\$4 ) with (key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 USPAT; (load\$3 transfer\$4 or transmit\$4 USPAT; destruct\$4 extract\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 USPAT; destruct\$4 extract\$4) with (key code) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 USPAT; 2004/03/25 (load\$3 transfer\$4 or transmit\$4 USPAT; 2004					1
location) ) and ((overwrit\$4 ) with ( key information code data) ) and   ((encrypt\$3 or encod\$3 or encipher\$3   protect\$3 or secur\$3 classified) with   (data or information or file key device   portable or mobile memory chip ic   computer\$4 or device (pda) card) memory   medium) and @ad<20001029) and   (((non-volatile or memory ) with (load\$3   transfer\$4 or transmit\$4 install\$4) with (   key code ) ) same ((delet\$3 or eras\$3   or destroy\$3 destruct\$4 extract\$4) with (   key information code data)))   (((non-volatile or memory ) with   (load\$3 transfer\$4 or transmit\$4   install\$4) with (key code ) same   ((delet\$3 or eras\$3 or destroy\$3   destruct\$4 extract\$4) with ((key code))   or ((encrypt\$2 encipher\$3 or secur\$3   encod\$2 sensitive) near (information or   data))))   (((non-volatile or memory ) with   (load\$3 transfer\$4 or transmit\$4   install\$4) with (key code) same   ((delet\$3 or eras\$3 or destroy\$3   load\$3 transfer\$4 or transmit\$4   install\$4) with (key code) same   ((delet\$3 or eras\$3 or destroy\$3   load\$3 transfer\$4 or transmit\$4   install\$4) with (key code) same   ((delet\$3 or eras\$3 or destroy\$3)   load\$3 transfer\$4 or transmit\$4   install\$4) with (key code) same   ((delet\$3 or eras\$3 or destroy\$3)   load\$3 transfer\$4 or transmit\$4   install\$4) with (key code) same   (delet\$3 or eras\$3 or destroy\$3)					
key information code data) ) and   ((encrypt\$3 or encod\$3 or encipher\$3   protect\$3 or secur\$3 classified) with   (data or information or file key device   portable or mobile memory chip ic   computer\$4 or device (pda) card) memory   medium) and @ad<20001029) and   (((non-volatile or memory) with (load\$3   transfer\$4 or transmit\$4 install\$4) with   (key code)) same ((delet\$3 or eras\$3   or destroy\$3 destruct\$4 extract\$4) with (   key information code data)))  - 1306 (((non-volatile or memory) with   (load\$3 transfer\$4 or transmit\$4   (load\$3 transfer\$4 or transmit\$4   install\$4) with (key code)) same   ((delet\$3 or eras\$3 or destroy\$3   destruct\$4 extract\$4) with ((key code))   or ((encrypt\$2 encipher\$3 or secur\$3   encod\$2 sensitive) near (information or   data)))))  - 71 (((non-volatile or memory) with   (load\$3 transfer\$4 or transmit\$4   (load\$3 transfer\$4 or transmit\$4   uspat;					
((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (delet\$3 or eras\$3 or destroy\$3 encod\$2 sensitive) near (information or data)))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same (delet\$3 or eras\$3 or destroy\$3  POPPUB; install\$4) with (key code)) same (delet\$3 or eras\$3 or destroy\$3					
protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 uspat; luspat;					
<pre>(data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad&lt;20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same (delet\$3 or eras\$3 or destroy\$3 encod\$2 sensitive) near (information or data)))) (((delet\$3 or eras\$3 or destroy\$3 DERWENT;  18:48</pre>					
portable or mobile memory chip ic computer\$\foat{4}\$ or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory) with (load\$\foat{3}\$ transfer\$\foat{4}\$ or transmit\$\foat{4}\$ install\$\foat{4}\$) with (key code)) same ((delet\$\foat{3}\$ or eras\$\foat{3}\$ or destroy\$\foat{3}\$ destruct\$\foat{4}\$ extract\$\foat{4}\$) with (key information code data)))  - 1306 (((non-volatile or memory) with (load\$\foat{3}\$ transfer\$\foat{4}\$ or transmit\$\foat{4}\$ install\$\foat{4}\$) with (key code)) same ((delet\$\foat{3}\$ or eras\$\foat{3}\$ or destroy\$\foat{3}\$ destruct\$\foat{4}\$ extract\$\foat{4}\$) with (key code) or ((encrypt\$\foat{2}\$ encipher\$\foat{3}\$ or secur\$\foat{3}\$ encod\$\foat{2}\$ sensitive) near (information or data)))) (((non-volatile or memory) with (load\$\foat{3}\$ transfer\$\foat{4}\$ or transmit\$\foat{4}\$ install\$\foat{4}\$) with (key code)) same (load\$\foat{3}\$ transfer\$\foat{4}\$ or transmit\$\foat{4}\$ install\$\foat{4}\$) with (key code)) same (load\$\foat{3}\$ transfer\$\foat{4}\$ or transmit\$\foat{4}\$ install\$\foat{4}\$) with (key code)) same (load\$\foat{4}\$) perwent;					
computer\$4 or device (pda) card) memory medium) and @ad<20001029) and   (((non-volatile or memory ) with (load\$3   transfer\$4 or transmit\$4 install\$4) with   (key code ) ) same ((delet\$3 or eras\$3   or destroy\$3 destruct\$4 extract\$4) with (   key information code data)))   (((non-volatile or memory ) with   (load\$3 transfer\$4 or transmit\$4   install\$4) with (key code ) ) same   ((delet\$3 or eras\$3 or destroy\$3   destruct\$4 extract\$4) with ((key code )   or ((encrypt\$2 encipher\$3 or secur\$3   encod\$2 sensitive) near (information or   data))))  71  (((non-volatile or memory ) with   (load\$3 transfer\$4 or transmit\$4   install\$4) with (key code ) ) same   ((delet\$3 or eras\$3 or destroy\$3   load\$3 transfer\$4 or transmit\$4   install\$4) with (key code ) ) same   ((delet\$3 or eras\$3 or destroy\$3					
medium) and @ad<20001029) and (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data))) (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code)) same ((delet\$3 or eras\$3 or destroy\$3 DERWENT;  USPAT;					
<pre>(((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data))) (((non-volatile or memory ) with</pre>					
transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data)))  1306 (((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 US-PGPUB; (install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)) ))  71 (((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 US-PGPUB; (load\$3 transfer\$4 or transmit\$4 US-PGPUB; (install\$4) with ( key code ) ) same (load\$3 transfer\$4 or transmit\$4 US-PGPUB; (load\$3 transfer\$4 or transmit\$4 US			· · · · · · · · · · · · · · · · · · ·		
<pre>( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (    key information code data)))  - 1306 (((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4</pre>				1	
or destroy\$3 destruct\$4 extract\$4) with ( key information code data)))  (((non-volatile or memory) with     (load\$3 transfer\$4 or transmit\$4     install\$4) with (key code)) same     ((delet\$3 or eras\$3 or destroy\$3     destruct\$4 extract\$4) with ((key code))     or ((encrypt\$2 encipher\$3 or secur\$3     encod\$2 sensitive) near (information or data))))  (((non-volatile or memory) with     (load\$3 transfer\$4 or transmit\$4     (load\$3 transfer\$4 or transmit\$4     install\$4) with (key code)) same     ((delet\$3 or eras\$3 or destroy\$3  DERWENT;  DEPAT;  USPAT;					•
key information code data))  (((non-volatile or memory) with					
- 1306 (((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 USPAT; US-PGPUB; install\$4) with (key code ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  - 71 (((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code ) same ((delet\$3 or eras\$3 or destroy\$3) DERWENT;					
(load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3)    USPAT;	_	1306		USPAT:	2004/03/25
install\$4) with (key code) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ((key code)) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3  EPO; JPO; DERWENT;  USPAT; US-PGPUB; EPO; JPO; DERWENT;					
<pre>((delet\$3 or eras\$3 or destroy\$3     destruct\$4 extract\$4) with (( key code )     or ((encrypt\$2 encipher\$3 or secur\$3     encod\$2 sensitive) near (information or     data)))))  71 (((non-volatile or memory ) with     (load\$3 transfer\$4 or transmit\$4     install\$4) with ( key code ) ) same     ((delet\$3 or eras\$3 or destroy\$3</pre> UERWENT;  USPAT; US-PGPUB; EPO; JPO; DERWENT;					
destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 US-PGPUB; install\$4) with (key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 DERWENT;					
or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))))  71 (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with (key code)) same ((delet\$3 or eras\$3 or destroy\$3  USPAT; US-PGPUB; EPO; JPO; DERWENT;					
encod\$2 sensitive) near (information or data))))  - 71 (((non-volatile or memory) with USPAT; 2004/03/25 (load\$3 transfer\$4 or transmit\$4 US-PGPUB; install\$4) with (key code)) same EPO; JPO; ((delet\$3 or eras\$3 or destroy\$3 DERWENT;				<u>-</u>	
data))))) - 71 (((non-volatile or memory) with USPAT; 2004/03/25 (load\$3 transfer\$4 or transmit\$4 US-PGPUB; 18:48 install\$4) with (key code)) same EPO; JPO; ((delet\$3 or eras\$3 or destroy\$3					
- 71 (((non-volatile or memory ) with USPAT; 2004/03/25 (load\$3 transfer\$4 or transmit\$4 US-PGPUB; 18:48 install\$4) with (key code ) ) same EPO; JPO; ((delet\$3 or eras\$3 or destroy\$3 DERWENT;					
(load\$3 transfer\$4 or transmit\$4 US-PGPUB; 18:48 install\$4) with (key code)) same EPO; JPO; ((delet\$3 or eras\$3 or destroy\$3 DERWENT;	_	71		USPAT;	2004/03/25
install\$4) with ( key code ) ) same		1		l	
((delet\$3 or eras\$3 or destroy\$3 DERWENT;					
or ((encrypt\$2 encipher\$3 or secur\$3				_	
encod\$2 sensitive) near (information or					
data))))) same (((power\$4) adj (on or		,		1	
up)) or power-up power-on or post or			up)) or power-up power-on or post or		
install\$5)					

(load\$3 transfer\$4 or transmit\$4 install\$4  with (key code ) same ((delet\$3 or eras\$3 or destroy\$3 destrout\$4 extract\$4  with (key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)) )) same ( ((power\$4) adj (on or up)) or power-up power-on or post or install\$5) and @adc20001029		
((delets3 or eras33 or destroy53   destrouts4 extracts4) with ((key code) or ((encrypt52 encipher53 or secur33   encod52 sensitive) near (information or data)) )) same (((power54) adj (on or up)) or power-up power-on or post or install\$5) and @ad<20001029 ((computer\$4 or device (pda) portable or mobile) with (storage chip ic card memory medium) with (coupl\$4 connect\$4   us-pGPUB; EPO; JPO; DERWENT; IBM_TDB   uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; EPO; JPO; Uspar; Us-pGPUB; Uspar; Us-pGPUB; Uspar; Us-pGPUB; Uspar; Us-pGPUB; Uspar; Us-pGPU		transmit\$4 US-PGPUB; 18:49
encod\$2 sensitive) mear (information or data))) ) same ((power\$4) adj (on or up)) or power-up power-on or post or install\$5) and @adc20001029 ((computer\$4 or device (pda) portable or mobile) with (storage chip ic card memory medium) with (coupl\$4 connect\$4 per communicat\$4 ) with (target)) and (adc20001029 or communicat\$4 ) with (coupl\$4 connect\$4 or mobile) with (storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4 ) with (coupl\$4 connect\$4 or communicat\$4 ) with (coupl\$4 connect\$4 or communicat\$4 ) with (coupl\$4 connect\$4 or communicat\$4 ) with (coupl\$4 connect\$4 or communicat\$4 ) with (coupl\$4 connect\$4 or transfer\$4 ) with ((load\$4 or transfer\$4 ) with ((load\$4 or transfer\$4 ) with ((load\$4 or memory medium) with (coupl\$4 connect\$4 or communicat\$4 ) with (target)) and ((load\$4 or transfer\$4 transmis\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) and encod\$2 sensitive) near (information or data))) and encod\$2 sensitive) near (information or data))) and encod\$2 sensitive) near (information or data))) and encod\$2 sensitive) near (information or data)) and encod\$2 sensitive) near (information or data)) and encod\$2 sensitive) near (information or data)) and encod\$2 sensitive) near (information or data file )) and ((load\$4 or transfer\$4 transmis\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with (information or data) (load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data) (load\$4 or transfer\$4 transmi\$5) with (information or data) (load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data) (load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or government) and ((secure or sensitive) near (information or data)) and (load\$4 or transfer\$4 transmi\$5) with (encrypt\$2 encipher\$3 or government) and ((load\$4 or transfer\$4 transmi\$5) with (load\$4		or destroy\$3 DERWENT;
up) or power-up power-on or post or installs[s] and @ad<20001029 ( (computers4 or device (pda) portable or mobile) with (storage chip ic card memory medium) with (coupls4 connects4 or domboile) with (storage chip ic card memory medium) with (coupls4 connects4 or mobile) with (storage chip ic card memory medium) with (coupls4 connects4 or communicats4 ) with (target)) and (loads4 with key) same ((loads4 or transfers4) with ((encrypt52 enciphers3) or securs3 encods2 sensitive) near (information or data))) and @ad<20001029 ( (computers4 or device (pda) portable or mobile) with (storage chip ic card (loads4 or transfers4) with ((encrypt52 enciphers3) or securs3 encods2 sensitive) near (information or data))) same ((loads4 or transfers4 transmis55) with ((encrypt52 enciphers3 or securs3 encods2 sensitive) near (information or data))) same (loads4 or transfers4 transmis55) with ((encrypt52 enciphers3 or securs3 encods2 sensitive) near (information or data))) and @ad<20001029 (loads4 or transfers4 transmis55) with ((encrypt52 enciphers3 or securs3 encods2 sensitive) near (information or data))) and @ad<20001029 (loads4 or transfers4 transmis55) with ((encrypt52 enciphers3 or securs3 encods2 sensitive) near (information or data)) and @ad<20001029 (loads4 or transfers4 transmis55) with (information or data)) and @ad<20001029 (loads4 or transfers4 transmis55) with (information or data)) and @ad<20001029 (loads4 or transfers4 transmis5) with (information or data)) and @ad<20001029 (loads4 or transfers4 transmis5) with (information or data)) and @ad<20001029 (loads4 or transfers4 transmis5) with (information or data)) and @ad<20001029 (loads4 or transfers4 transmis5) with (information or data)) and @ad<2001029 (loads4 or transfers4) transmis50 with (information or data) (loads4 or transfers4) transmis50 with (information or data) and @ad<20001029 (loads4 or transfers4) transmis50 with (information or data) and @ad<20001029 (loads4 or transfers4) transmis50 with (information or data) and @ad<20001029 (loads4 or transfers4		ear (information or
mobile with (storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4) with (target) and (\$\text{8ad} \alpha \text{8ad} \alpha \text{8ad} \alpha \text{9ad} \text{1BM} \text{TDB} \text{7DB} \		er-on or post or
Computer\$4 or device (pda) portable or mobile) with (storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4) with (target)) and (load\$4 with key) same (load\$4 or transfer\$4) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) and @ad<20001029 (computer\$4 or device (pda) portable or mobile) with (storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4) with (target)) and ((load\$4 or transfer\$4 transmis\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) same ((load\$4 or transfer\$4 transmis\$5)) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) same (load\$4 or transfer\$4 transmis\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) and @ad<20001029 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file))  - 92 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file) and ((load\$4 or transfer\$4 transmi\$5) with (encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data file) and ((load\$4 or transfer\$4 transmi\$5) with (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data)) (secure or sensitive) near (information or data) (secure or sensitive) near (information or data) (secu	1	ge chip ic card US-PGPUB; 19:12 (coupl\$4 connect\$4 EPO; JPO; DERWENT;
transfer\$4 ) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)) and @ad<20001029 ((computer\$4 or device (pda) portable or mobile) with (storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4 ) with (target) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) same ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) and @ad<20001029 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 lp:30 lb=NeWENT; lbM_TDB lb		ce (pda) portable or USPAT; 2004/03/25 ge chip ic card US-PGPUB; 19:14 (coupl\$4 connect\$4 EPO; JPO; th (target))and DERWENT;
mobile) with (storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4 ) with (target)) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)) same ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) and @ad<20001029  - 3683 helicopter and (military or navy or army or government)  - 92 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file ))  - 1282 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))  (military or navy or army or government) and ((secure or sensitive) near (information or data)))  (military or navy or army or government) and ((secure or sensitive) near (information or data)))  (military or navy or army or government) and ((secure or sensitive) near (information or data)))  (military or navy or army or government) and ((secure or sensitive) near (information or data))  (military or navy or army or government) and ((secure or sensitive) near (information or data))  (military or navy or army or government) and ((secure or sensitive) near (information or data))  (military or navy or army or government) and ((secure or sensitive) or secret classified) with (information or data)  (military or navy or army or government) and ((secure or sensitive) or secret classified) with (information or data)  (military or navy or army or government) and ((secure or sensitive) or secret classified) with (information or data)  (military or navy or army or government) and ((secure or sensitive) or secret classified) with (information or data) and ((secure or sensitive) or secret classified) with (information or data)  (military or navy or army or government) and ((secure or se		(encrypt\$2 encipher\$3 ensitive) near )) and @ad<20001029
encod\$2 sensitive) near (information or data)) and @ad<20001029 helicopter and (military or navy or army or government)  92 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file))  123 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file)) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))  1282 (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data)) and (secure or sensitive or secret classified) with (information or data); file )) and (load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or load\$4		ge chip ic card US-PGPUB; 19:19 (coupl\$4 connect\$4 EPO; JPO; DERWENT; IBM_TDB or secur\$3 encod\$2 ormation or data))) nsfer\$4 transmis\$5)
- 92 helicopter and (military or navy or army or government) and ((secure or sensitive or data file))  - 23 helicopter and (military or navy or army or data file))  - 24 helicopter and (military or navy or army or data file))  - 25 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file)) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))  - 1282 (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file)) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))  - 1282 (military or navy or army or government) uspat; 2004/03, 19:47  - 1284 (secure or sensitive or secret classified) with (information or data file)) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or lbM_TDB)	3	ear (information or 1029
- 92 helicopter and (military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file ))  - 23 helicopter and (military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))  - 1282 (military or navy or army or government ) and ((secure or sensitive) or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or sexue); IBM_TDB		EPO; JPO; DERWENT;
- 23 helicopter and (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data file)) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))  - 1282 (military or navy or army or government) and ((secure or sensitive or secret classified) with (information or data classified) with (information or data file)) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or lBM_TDB)  - 1282 (military or navy or army or government) uspat; 2004/03, 19:47  - 2004/03, 19:42		cary or navy or army ((secure or sensitive with (information DERWENT; DERWENT; 2004/03/25 19:31
and ((secure or sensitive or secret US-PGPUB; classified) with (information or data EPO; JPO; file )) and ((load\$4 or transfer\$4 DERWENT; transmi\$5) with ((encrypt\$2 encipher\$3 or IBM_TDB		tary or navy or army ((secure or sensitive with (information ((load\$4 or with ((encrypt\$2 B encod\$2 sensitive))  USPĀT; US-PGPUB; 19:42  DERWENT; IBM_TDB
secur\$3 encod\$2 sensitive) near (information or data)))	1	itive or secret US-PGPUB; 19:47 formation or data EPO; JPO; DERWENT; IBM_TDB
	931	r army or government uspat; 2004/03/25 usitive or secret us-PGPUB; EPO; JPO; DERWENT; IBM_TDB itive) near

•				
	792	<pre>((military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) and (vehicle or transport portable)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:48
-	44	<pre>(((military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) and (vehicle or transport portable)) and ( (((non-volatile or memory) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)) )))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:24
-	131400	dts emsu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:28
-	13737	<pre>((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dts emsu))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:30
-	6525	((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) same computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 09:33
-	5510	((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:16
-	0	<pre>((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with ("from " adj (card drive (memory adj device) dts emsu medium)) with computer )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26
-	0	((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with ("from "near (card drive (memory adj device) dts emsu medium)) with computer )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26
-	269070	computer with (card drive (memory adj device) dts emsu medium) with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 09:37
-	5510	(((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) with computer ) and (computer with (card drive (memory adj device) dts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:36
-	81463	emsu medium) with computer) computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:04

•				
_	755542	((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 10:31
-	50742	memory)) (computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:45
_	2158	(computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory))) and ((((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) with computer ) and (computer with (card drive (memory adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:45
-	256	device) dts emsu medium) with computer)) ((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) near (data or information or file ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:49
	9	((computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory)) and (((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) with computer ) and (computer with (card drive (memory adj device) dts emsu medium) with computer))) and ((load\$3 transfer\$4 or transmit\$4) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file)) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) near (data or information or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26
-	755461	5815577.pn. and ((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:31
-	1	memory)) 5815577.pn. and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:31

_	0	<pre>(((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/03/26 10:33
		sensitive) near (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4)	DERWENT; IBM_TDB	
		near (data or information or file ))) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with		
		(overwrit\$4 or (writ\$4 adj over)) with (data) with ((non-volatile) or (drive or card or memory)))		
_	51	((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) with (data) with ((non-volatile) or (drive or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 10:33
-	14	card or memory)) 5815577.URPN.	IBM_TDB USPAT	2004/03/26 10:47
-	1145	((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:50
_	31	with (data or information or file )) ((((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dts emsu medium)) with computer ) and (computer with (card drive (memory adj device) dts emsu medium) with computer)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:04
		(computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((load\$3 transfer\$4 or transmit\$4) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file)) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file)))		
-	2	5638444.URPN.	USPAT	2004/03/26
_		<pre>(((load\$3 transfer\$4 or transmit\$4 ) with   (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and   ((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dts emsu medium))</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26
-	2576	<pre>((load\$3 transfer\$4 or transmit\$4 ) same( key code) same ((prior or before) with (load\$3 transfer\$4 or transmit\$4 )) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:20

53	((((load\$3 transfer\$4 or transmit\$4)) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 11:20
	file ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) and ((load\$3 transfer\$4 or transmit\$4) same(key code) same ((prior or before) with (load\$3 transfer\$4 or transmit\$4) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5	IBM_TDB	·
28	sensitive) with (data or information or file ) ) ) ((((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:54
	with (data or information or file ))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium))) and ((load\$3 transfer\$4 or transmit\$4) same(key code) same ((prior or before) with (load\$3 transfer\$4 or transfer\$4 or transmit\$4)) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or		
17	file ) ) and @ad<20001029 ((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) same ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:59
	((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file') ) and @ad<20001029	NODAE.	2004/02/26
20	((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:12
	28	with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) and ((load\$3 transfer\$4 or transmit\$4) same (key code) same ((prior or before) with (load\$3 transfer\$4 or transmit\$4)) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file )) )  ((((load\$3 transfer\$4 or transmit\$4)) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file )) ame ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )) ame ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) same ((prior or before) with (load\$3 transfer\$4 or transmit\$4 sensitive) with (data or information or file )) and (deny\$4 or prevent\$4 or protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file )) same ((deny\$4 or prevent\$4 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file )) and (deny\$4 or prevent\$4 or mandation or file )) and (deny\$4 or prevent\$4 or mandation or file )) and (deny\$4 or prevent\$4 or protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file )) and (deny	with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file)) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory ad) device) dts emsu medium)) and ((load\$3 transfer\$4 or transmit\$4) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file)))  28 (((load\$3 transfer\$4 or transmit\$4)) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file)) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file))) and ((load\$3 transfer\$4 or transmit\$4) and (load\$3 transfer\$4 or transmit\$4) and (load\$3 transfer\$4 or transmit\$4) and (load\$4 transfer\$4 or transmit\$4) and (

-	3	(((keep\$4 or maintain\$4 ) near2	USPAT;	2004/03/26
		((unencrypt\$4 plaintext unclassified	US-PGPUB;	12:00
		unprotect\$3 or unsecur\$4) with (data or	EPO; JPO;	1
		information or file )))and((deny\$4 or	DERWENT;	1
		prevent\$4 or protect\$4 or secur\$4	IBM_TDB	
		restrict\$4 refus\$3 declin\$4 denial) with		
		(access\$3 compromis\$3 read\$3)) with		
		((encrypt\$3 or encod\$3 or encipher\$3		
		cipher\$4 protect\$4 or secur\$3 classif\$5		
		sensitive) with (data or information or		
		file ) ) and @ad<20001029) not		
		(((keep\$4 or maintain\$4 ) near2		
		((unencrypt\$4 plaintext unclassified		
	İ	unprotect\$3 or unsecur\$4) with (data or		
	i	information or file ))) same ((deny\$4 or		
		prevent\$4 or protect\$4 or secur\$4		
		restrict\$4 refus\$3 declin\$4 denial) with	1	
		(access\$3 compromis\$3 read\$3)) with		
		((encrypt\$3 or encod\$3 or encipher\$3		
		cipher\$4 protect\$4 or secur\$3 classif\$5	<u> </u>	
		sensitive) with (data or information or		
		file ) ) and @ad<20001029)		
_	107	((keep\$4 or maintain\$4 stor\$4) near2	USPAT;	2004/03/26
		((unencrypt\$4 plaintext unclassified	US-PGPUB;	12:14
	1	unprotect\$3 or unsecur\$4) with (data or	EPO; JPO;	
		information or file )))and((deny\$4 or	DERWENT;	
		prevent\$4 or protect\$4 or secur\$4	IBM TDB	
		restrict\$4 refus\$3 declin\$4 denial) with	_	
		(access\$3 compromis\$3 read\$3)) with		
	}	((encrypt\$3 or encod\$3 or encipher\$3		
	ľ	cipher\$4 protect\$4 or secur\$3 classif\$5		
		sensitive) with (data or information or	1	
		file ) ) and @ad<20001029	1	
-	60	(((keep\$4 or maintain\$4 stor\$4) near2	USPAT;	2004/03/26
		((unencrypt\$4 plaintext unclassified	US-PGPUB;	12:13
		unprotect\$3 or unsecur\$4) with (data or	EPO; JPO;	
	1	information or file )))and((deny\$4 or	DERWENT;	
		prevent\$4 or protect\$4 or secur\$4	IBM_TDB	
		restrict\$4 refus\$3 declin\$4 denial) with	-	
		(access\$3 compromis\$3 read\$3)) with		
		((encrypt\$3 or encod\$3 or encipher\$3		
	1	cipher\$4 protect\$4 or secur\$3 classif\$5		
		sensitive) with (data or information or		
•		file ) ) and @ad<20001029) not		
		(((load\$3 transfer\$4 or transmit\$4 ) with	1	
		(encrypt\$3 or encod\$3 or encipher\$3		
		cipher\$4 protect\$4 or secur\$3 classif\$5		
		sensitive) with (data or information or	1	
		file ) ) same ((unencrypt\$4 plaintext		
		unclassified unprotect\$3 or unsecur\$4)		
		with (data or information or file )))		

r				
	58	(((keep\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) and @ad<20001029) not (((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) and @ad<20001029) ((((keep\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and((deny\$4 or prevent\$4 or protect\$4 or secur\$3 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) and @ad<20001029) not (((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) and @ad<20001029) not (((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:13 2004/03/26 14:52
-	48	unprotect\$3 or unsecur\$4) with (data or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 14:54
_	46	((data or information) with ((selectively or select\$\$\\$5\$ or logical\$\$4\$) near encrypt\$\$4\$) with ((transmit\$\$5\$ or load\$\$4\$ or stor\$\$4\$) with (medium or memory or device card))) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 14:57

•				
	31	((((keep\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029) not (((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 cipher\$4 protect\$4 or secur\$3 cipher\$4 protect\$4 or secur\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029) and (((load\$3 transfer\$4 or transmit\$4 install\$4) near2 (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ))) and ((select\$4 or selectively logical\$4) with (encrypt\$4)) and @ad<20001029 6351813.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:57
	J			17:09